

國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

(Total 100 Points.) *There are 7 Problems in this exam. Show intermediate steps and formulas for partial credit. You must explain how you compute your results or answers for full credit. You may also need to use information in tables on page 3 to 6 to answer some of the questions.*

1. (20 points) Let X and Y have the joint probability density distribution:

$$f(x, y) = \begin{cases} e^{-x}, & 0 < y < x < \infty, \\ 0, & \text{otherwise.} \end{cases}$$

- (a) Find the marginal distribution of X . (5 points)
(b) Find the marginal distribution of Y . (5 points)
(c) Find $P(Y > 2 \mid X < 4)$. (5 points)
(d) Let $U = X - Y$, find the probability density function of U . (5 points)
2. (15 points) Assume that a set of observations is normally distributed. What percent of these differ from the means by
(a) more than 1σ ? (5 points)
(b) more than 3σ ? (5 points)
(c) less than 0.5σ ? (5 points)
3. (15 points) A coin is tossed 576 times. Use the normal curve approximation to find the probability of obtaining
(a) between 264 and 312 heads inclusive. (5 points)
(b) exactly 288 heads. (5 points)
(c) fewer than 276 or more than 300 heads. (5 points)



國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

4. (15 points) Let X_1, X_2, \dots, X_n denote a random sample from $b(1, p)$ (i.e., n Bernoulli trials). We know that $\bar{X} = \sum_{i=1}^n X_i/n$ is an unbiased estimator of p . Please
- Find the Rao-Cramér lower bound for the variance of every unbiased estimator of p . (10 points)
 - Please evaluate the efficiency of \bar{X} as an estimator of p . (5 points)
5. (15 points) The manager of a chain of clothing stores is investigating whether the size of the store significantly contributes to the store sales. 8 stores were randomly sampled, and the following data on store size X (in units of square meter) and monthly sales Y (in units of ten thousand dollars) were recorded.

size	20	30	40	50	50	60	70	80
sales	20	35	45	55	55	60	65	65

- Find an estimated regression equation $\hat{Y} = b_0 + b_1X$ that can be used to predict monthly sales given the size of the store. (5 points)
 - Test the relationship between store size and monthly sales? What's your conclusion? (Please clearly state the null, the alternative hypothesis, and the test statistic, and use $\alpha = 0.05$). (5 points)
 - Is it appropriate to use this simple linear regression model to predict the monthly sales from store size? Please justify your answer. (5 points)
6. (10 points) An urban community in Taipei-Keelung metropolitan would like to show that the incidence of breast cancer is higher in their area than in a nearby suburban area, since it has been reported that PCB (a chemical that causes cancer) level is higher in the soil of the urban community. If it is found that 36 of 300 adult women in the urban community have breast cancer and 14 of 200 adult women in the nearby suburban community have breast cancer, can we conclude that breast cancer is more prevalent in the urban community? (Please clearly state the null, the alternative hypothesis, and the test statistic, and use $\alpha = 0.05$)
7. (10 points) A survey was conducted to ask respondents about their attitudes toward the policy of shortening the length of an academic semester from 18 weeks to 15 weeks. The results, cross-classified by type of students, are as follows:

Type of Students	Attitude		
	Favor	Neutral	Oppose
Undergraduate Student	125	50	25
Graduate Student	150	75	75

At the 0.05 level of significance, is there evidence of a relationship between attitude toward shortening the length of an academic semester and type of students?



國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

Table A.3 Normal Probability Table



Table A.3 Areas under the Normal Curve

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.4	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0003	0.0002
-3.3	0.0005	0.0005	0.0005	0.0004	0.0004	0.0004	0.0004	0.0004	0.0004	0.0003
-3.2	0.0007	0.0007	0.0006	0.0006	0.0006	0.0006	0.0006	0.0005	0.0005	0.0005
-3.1	0.0010	0.0009	0.0009	0.0008	0.0008	0.0008	0.0008	0.0007	0.0007	0.0007
-3.0	0.0013	0.0013	0.0013	0.0012	0.0012	0.0011	0.0011	0.0011	0.0010	0.0010
-2.9	0.0019	0.0018	0.0018	0.0017	0.0016	0.0016	0.0015	0.0015	0.0014	0.0014
-2.8	0.0026	0.0025	0.0024	0.0023	0.0023	0.0022	0.0021	0.0020	0.0020	0.0019
-2.7	0.0035	0.0034	0.0033	0.0032	0.0031	0.0030	0.0029	0.0028	0.0027	0.0026
-2.6	0.0047	0.0045	0.0044	0.0043	0.0041	0.0040	0.0039	0.0038	0.0037	0.0036
-2.5	0.0062	0.0060	0.0059	0.0057	0.0055	0.0054	0.0052	0.0051	0.0049	0.0048
-2.4	0.0082	0.0080	0.0078	0.0075	0.0073	0.0071	0.0069	0.0068	0.0066	0.0064
-2.3	0.0107	0.0104	0.0102	0.0099	0.0096	0.0094	0.0091	0.0089	0.0087	0.0084
-2.2	0.0139	0.0136	0.0132	0.0129	0.0125	0.0122	0.0119	0.0116	0.0113	0.0110
-2.1	0.0179	0.0174	0.0170	0.0166	0.0162	0.0158	0.0154	0.0150	0.0146	0.0143
-2.0	0.0228	0.0222	0.0217	0.0212	0.0207	0.0202	0.0197	0.0192	0.0188	0.0183
-1.9	0.0287	0.0281	0.0274	0.0268	0.0262	0.0256	0.0250	0.0244	0.0239	0.0233
-1.8	0.0359	0.0351	0.0344	0.0336	0.0329	0.0322	0.0314	0.0307	0.0301	0.0294
-1.7	0.0446	0.0436	0.0427	0.0418	0.0409	0.0401	0.0392	0.0384	0.0375	0.0367
-1.6	0.0548	0.0537	0.0526	0.0516	0.0505	0.0495	0.0485	0.0475	0.0465	0.0455
-1.5	0.0668	0.0655	0.0643	0.0630	0.0618	0.0606	0.0594	0.0582	0.0571	0.0559
-1.4	0.0808	0.0793	0.0778	0.0764	0.0749	0.0735	0.0721	0.0708	0.0694	0.0681
-1.3	0.0968	0.0951	0.0934	0.0918	0.0901	0.0885	0.0869	0.0853	0.0838	0.0823
-1.2	0.1151	0.1131	0.1112	0.1093	0.1075	0.1056	0.1038	0.1020	0.1003	0.0985
-1.1	0.1357	0.1335	0.1314	0.1292	0.1271	0.1251	0.1230	0.1210	0.1190	0.1170
-1.0	0.1587	0.1562	0.1539	0.1515	0.1492	0.1469	0.1446	0.1423	0.1401	0.1379
-0.9	0.1841	0.1814	0.1788	0.1762	0.1736	0.1711	0.1685	0.1660	0.1635	0.1611
-0.8	0.2119	0.2090	0.2061	0.2033	0.2005	0.1977	0.1949	0.1922	0.1894	0.1867
-0.7	0.2420	0.2389	0.2358	0.2327	0.2296	0.2266	0.2236	0.2206	0.2177	0.2148
-0.6	0.2743	0.2709	0.2676	0.2643	0.2611	0.2578	0.2546	0.2514	0.2483	0.2451
-0.5	0.3085	0.3050	0.3015	0.2981	0.2946	0.2912	0.2877	0.2843	0.2810	0.2776
-0.4	0.3446	0.3409	0.3372	0.3336	0.3300	0.3264	0.3228	0.3192	0.3156	0.3121
-0.3	0.3821	0.3783	0.3745	0.3707	0.3669	0.3632	0.3594	0.3557	0.3520	0.3483
-0.2	0.4207	0.4168	0.4129	0.4090	0.4052	0.4013	0.3974	0.3936	0.3897	0.3859
-0.1	0.4602	0.4562	0.4522	0.4483	0.4443	0.4404	0.4364	0.4325	0.4286	0.4247
-0.0	0.5000	0.4960	0.4920	0.4880	0.4840	0.4801	0.4761	0.4721	0.4681	0.4641

Appendix A Statistical Tables and Proofs

Table A.3 (continued) Areas under the Normal Curve

z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	0.5000	0.5040	0.5080	0.5120	0.5160	0.5199	0.5239	0.5279	0.5319	0.5359
0.1	0.5398	0.5438	0.5478	0.5517	0.5557	0.5596	0.5636	0.5675	0.5714	0.5753
0.2	0.5793	0.5832	0.5871	0.5910	0.5948	0.5987	0.6026	0.6064	0.6103	0.6141
0.3	0.6179	0.6217	0.6255	0.6293	0.6331	0.6368	0.6406	0.6443	0.6480	0.6517
0.4	0.6554	0.6591	0.6628	0.6664	0.6700	0.6736	0.6772	0.6808	0.6844	0.6879
0.5	0.6915	0.6950	0.6985	0.7019	0.7054	0.7088	0.7123	0.7157	0.7190	0.7224
0.6	0.7257	0.7291	0.7324	0.7357	0.7389	0.7422	0.7454	0.7486	0.7517	0.7549
0.7	0.7580	0.7611	0.7642	0.7673	0.7704	0.7734	0.7764	0.7794	0.7823	0.7852
0.8	0.7881	0.7910	0.7939	0.7967	0.7995	0.8023	0.8051	0.8078	0.8106	0.8133
0.9	0.8159	0.8186	0.8212	0.8238	0.8264	0.8289	0.8315	0.8340	0.8365	0.8389
1.0	0.8413	0.8438	0.8461	0.8485	0.8508	0.8531	0.8554	0.8577	0.8599	0.8621
1.1	0.8643	0.8665	0.8686	0.8708	0.8729	0.8749	0.8770	0.8790	0.8810	0.8830
1.2	0.8849	0.8869	0.8888	0.8907	0.8925	0.8944	0.8962	0.8980	0.8997	0.9015
1.3	0.9032	0.9049	0.9066	0.9082	0.9099	0.9115	0.9131	0.9147	0.9162	0.9177
1.4	0.9192	0.9207	0.9222	0.9236	0.9251	0.9265	0.9279	0.9292	0.9306	0.9319
1.5	0.9332	0.9345	0.9357	0.9370	0.9382	0.9394	0.9406	0.9418	0.9429	0.9441
1.6	0.9452	0.9463	0.9474	0.9484	0.9495	0.9505	0.9515	0.9525	0.9535	0.9545
1.7	0.9554	0.9564	0.9573	0.9582	0.9591	0.9599	0.9608	0.9616	0.9625	0.9633
1.8	0.9641	0.9649	0.9656	0.9664	0.9671	0.9678	0.9686	0.9693	0.9699	0.9706
1.9	0.9713	0.9719	0.9726	0.9732	0.9738	0.9744	0.9750	0.9756	0.9761	0.9767
2.0	0.9772	0.9778	0.9783	0.9788	0.9793	0.9798	0.9803	0.9808	0.9812	0.9817
2.1	0.9821	0.9826	0.9830	0.9834	0.9838	0.9842	0.9846	0.9850	0.9854	0.9857
2.2	0.9861	0.9864	0.9868	0.9871	0.9875	0.9878	0.9881	0.9884	0.9887	0.9890
2.3	0.9893	0.9896	0.9898	0.9901	0.9904	0.9906	0.9909	0.9911	0.9913	0.9916
2.4	0.9918	0.9920	0.9922	0.9925	0.9927	0.9929	0.9931	0.9932	0.9934	0.9936
2.5	0.9938	0.9940	0.9941	0.9943	0.9945	0.9946	0.9948	0.9949	0.9951	0.9952
2.6	0.9953	0.9955	0.9956	0.9957	0.9959	0.9960	0.9961	0.9962	0.9963	0.9964
2.7	0.9965	0.9966	0.9967	0.9968	0.9969	0.9970	0.9971	0.9972	0.9973	0.9974
2.8	0.9974	0.9975	0.9976	0.9977	0.9978	0.9979	0.9980	0.9981	0.9982	0.9983
2.9	0.9981	0.9982	0.9982	0.9983	0.9984	0.9984	0.9985	0.9985	0.9986	0.9986
3.0	0.9987	0.9987	0.9987	0.9988	0.9988	0.9989	0.9989	0.9989	0.9990	0.9990
3.1	0.9990	0.9991	0.9991	0.9991	0.9992	0.9992	0.9992	0.9992	0.9993	0.9993
3.2	0.9993	0.9993	0.9994	0.9994	0.9994	0.9994	0.9994	0.9995	0.9995	0.9995
3.3	0.9995	0.9995	0.9995	0.9996	0.9996	0.9996	0.9996	0.9996	0.9996	0.9997
3.4	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9997	0.9998



國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

Table A.4 Student t-Distribution Probability Table




Table A.4 Critical Values of the t-Distribution

v	alpha					
	0.40	0.30	0.20	0.15	0.10	0.025
1	0.325	0.727	1.376	1.963	3.078	6.314
2	0.289	0.617	1.061	1.386	1.886	2.920
3	0.277	0.584	0.978	1.250	1.638	2.353
4	0.271	0.569	0.941	1.190	1.533	2.132
5	0.267	0.559	0.920	1.156	1.476	2.015
6	0.265	0.553	0.906	1.134	1.440	1.943
7	0.263	0.549	0.896	1.119	1.415	1.895
8	0.262	0.546	0.889	1.108	1.397	1.860
9	0.261	0.543	0.883	1.100	1.383	1.833
10	0.260	0.542	0.879	1.093	1.372	1.812
11	0.260	0.540	0.876	1.088	1.363	1.796
12	0.259	0.539	0.873	1.083	1.356	1.782
13	0.259	0.538	0.870	1.079	1.350	1.771
14	0.258	0.537	0.868	1.076	1.345	1.761
15	0.258	0.536	0.866	1.074	1.341	1.753
16	0.258	0.535	0.865	1.071	1.337	1.746
17	0.257	0.534	0.863	1.069	1.333	1.740
18	0.257	0.534	0.862	1.067	1.330	1.734
19	0.257	0.533	0.861	1.066	1.328	1.729
20	0.257	0.533	0.860	1.064	1.325	1.725
21	0.257	0.532	0.859	1.063	1.323	1.721
22	0.256	0.532	0.858	1.061	1.321	1.717
23	0.256	0.532	0.858	1.060	1.319	1.714
24	0.256	0.531	0.857	1.059	1.318	1.711
25	0.256	0.531	0.856	1.058	1.316	1.708
26	0.256	0.531	0.856	1.058	1.315	1.706
27	0.256	0.531	0.855	1.057	1.314	1.703
28	0.256	0.530	0.855	1.056	1.313	1.701
29	0.256	0.530	0.854	1.055	1.311	1.699
30	0.256	0.530	0.854	1.055	1.310	1.697
40	0.255	0.529	0.851	1.050	1.303	1.684
60	0.254	0.527	0.848	1.045	1.296	1.671
120	0.254	0.526	0.845	1.041	1.289	1.658
∞	0.253	0.524	0.842	1.036	1.282	1.645

Appendix A Statistical Tables and Proofs

Table A.4 (continued) Critical Values of the t-Distribution

v	alpha									
	0.02	0.015	0.01	0.0075	0.005	0.0025	0.0005	0.00025	0.0001	0.00005
1	15.894	21.205	31.821	42.433	63.656	127.321	636.578	1273.21	6365.78	12732.1
2	4.849	5.643	6.965	8.073	9.925	14.089	31.600	43.164	55.999	74.999
3	3.482	3.896	4.541	5.047	5.841	7.453	12.924	17.257	22.476	29.476
4	2.999	3.298	3.747	4.088	4.604	5.598	8.610	11.143	14.267	18.476
5	2.757	3.003	3.365	3.634	4.032	4.773	6.869	9.047	11.591	14.860
6	2.612	2.829	3.143	3.372	3.707	4.317	5.959	7.879	10.245	13.151
7	2.517	2.715	2.998	3.203	3.499	4.029	5.408	7.143	9.148	11.851
8	2.449	2.634	2.896	3.085	3.355	3.833	5.041	6.581	8.327	10.651
9	2.398	2.574	2.821	2.998	3.250	3.690	4.781	6.054	7.708	9.708
10	2.359	2.527	2.764	2.932	3.169	3.581	4.587	5.647	7.259	9.259
11	2.328	2.491	2.718	2.879	3.106	3.497	4.437	5.318	6.908	8.908
12	2.303	2.461	2.681	2.836	3.055	3.428	4.318	5.140	6.630	8.630
13	2.282	2.436	2.650	2.801	3.012	3.372	4.221	4.973	6.400	8.400
14	2.264	2.415	2.624	2.771	2.977	3.326	4.140	4.814	6.214	8.214
15	2.249	2.397	2.602	2.746	2.947	3.286	4.073	4.666	6.054	8.054
16	2.235	2.382	2.583	2.724	2.921	3.252	4.015	4.524	5.914	7.914
17	2.224	2.368	2.567	2.706	2.898	3.222	3.965	4.384	5.784	7.784
18	2.214	2.356	2.552	2.689	2.878	3.197	3.922	4.254	5.654	7.654
19	2.205	2.346	2.539	2.674	2.861	3.174	3.883	4.134	5.534	7.534
20	2.197	2.336	2.528	2.661	2.845	3.153	3.850	4.024	5.424	7.424
21	2.189	2.328	2.518	2.649	2.831	3.135	3.819	3.914	5.314	7.314
22	2.183	2.320	2.508	2.639	2.819	3.119	3.792	3.804	5.204	7.204
23	2.177	2.313	2.500	2.629	2.807	3.104	3.768	3.694	5.094	7.094
24	2.172	2.307	2.492	2.620	2.797	3.091	3.745	3.584	4.984	6.984
25	2.167	2.301	2.485	2.612	2.787	3.078	3.725	3.474	4.874	6.874
26	2.162	2.296	2.479	2.605	2.779	3.067	3.707	3.364	4.764	6.764
27	2.158	2.291	2.473	2.598	2.771	3.057	3.689	3.254	4.654	6.654
28	2.154	2.286	2.467	2.592	2.763	3.047	3.674	3.144	4.544	6.544
29	2.150	2.282	2.462	2.586	2.756	3.038	3.660	3.034	4.434	6.434
30	2.147	2.278	2.457	2.581	2.750	3.030	3.646	2.924	4.324	6.324
40	2.123	2.250	2.423	2.542	2.704	2.971	3.551	2.754	4.054	6.054
60	2.099	2.223	2.390	2.504	2.660	2.915	3.460	2.584	3.784	5.784
120	2.076	2.196	2.358	2.468	2.617	2.860	3.373	2.414	3.514	5.514
∞	2.054	2.170	2.326	2.432	2.576	2.807	3.290	2.244	3.244	5.244



國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

Table A.5 Chi-Squared Distribution Probability Table




Table A.5 Critical Values of the Chi-Squared Distribution

v	α									
	0.995	0.99	0.98	0.975	0.95	0.90	0.80	0.75	0.70	0.50
1	0.004393	0.008157	0.01628	0.03982	0.00393	0.0158	0.0642	0.102	0.148	0.455
2	0.0100	0.0201	0.0404	0.0506	0.103	0.211	0.446	0.575	0.713	1.386
3	0.0717	0.115	0.185	0.216	0.352	0.584	1.005	1.213	1.424	2.366
4	0.207	0.297	0.429	0.484	0.711	1.064	1.649	1.923	2.195	3.357
5	0.412	0.554	0.752	0.831	1.145	1.610	2.343	2.675	3.000	4.351
6	0.676	0.872	1.134	1.237	1.635	2.204	3.070	3.455	3.828	5.348
7	0.989	1.239	1.564	1.690	2.167	2.833	3.822	4.255	4.671	6.346
8	1.344	1.647	2.032	2.180	2.733	3.490	4.594	5.071	5.527	7.344
9	1.735	2.088	2.532	2.700	3.325	4.168	5.380	5.899	6.393	8.343
10	2.156	2.558	3.059	3.247	3.940	4.865	6.179	6.737	7.267	9.342
11	2.603	3.053	3.609	3.816	4.575	5.578	6.989	7.584	8.148	10.341
12	3.074	3.571	4.178	4.404	5.226	6.304	7.807	8.438	9.034	11.340
13	3.565	4.107	4.765	5.009	5.892	7.041	8.634	9.299	9.926	12.340
14	4.075	4.660	5.368	5.629	6.571	7.790	9.467	10.165	10.821	13.339
15	4.601	5.229	5.985	6.262	7.261	8.547	10.307	11.037	11.721	14.339
16	5.142	5.812	6.614	6.908	7.962	9.312	11.152	11.912	12.624	15.338
17	5.697	6.408	7.255	7.564	8.672	10.085	12.002	12.792	13.531	16.338
18	6.265	7.015	7.906	8.231	9.390	10.865	12.857	13.675	14.440	17.338
19	6.844	7.633	8.567	8.907	10.117	11.651	13.716	14.562	15.352	18.338
20	7.434	8.260	9.237	9.591	10.851	12.443	14.878	15.452	16.266	19.337
21	8.034	8.897	9.915	10.283	11.591	13.240	15.445	16.344	17.182	20.337
22	8.643	9.542	10.600	10.982	12.338	14.041	16.314	17.240	18.101	21.337
23	9.260	10.196	11.293	11.689	13.091	14.848	17.187	18.137	19.021	22.337
24	9.886	10.856	11.992	12.401	13.848	15.659	18.062	19.037	19.943	23.337
25	10.520	11.524	12.697	13.120	14.611	16.473	18.940	19.939	20.867	24.337
26	11.160	12.198	13.409	13.844	15.379	17.292	19.820	20.843	21.792	25.336
27	11.808	12.878	14.125	14.573	16.151	18.114	20.703	21.749	22.719	26.336
28	12.461	13.565	14.847	15.308	16.928	18.939	21.588	22.657	23.647	27.336
29	13.121	14.256	15.574	16.047	17.708	19.768	22.475	23.567	24.577	28.336
30	13.787	14.953	16.306	16.791	18.493	20.599	23.364	24.478	25.508	29.336
40	20.707	22.164	23.838	24.433	26.509	29.051	32.345	33.66	34.872	39.335
50	27.991	29.707	31.664	32.357	34.764	37.689	41.449	42.942	44.313	49.335
60	35.534	37.485	39.699	40.482	43.188	46.459	50.641	52.294	53.809	59.335

Appendix A Statistical Tables and Proofs

Table A.5 (continued) Critical Values of the Chi-Squared Distribution

v	α									
	0.30	0.25	0.20	0.10	0.05	0.025	0.02	0.01	0.005	0.001
1	1.074	1.323	1.642	2.706	3.841	5.024	5.412	6.635	7.879	10.827
2	2.408	2.773	3.219	4.605	5.991	7.378	7.824	9.210	10.597	13.815
3	3.665	4.108	4.642	6.251	7.815	9.348	9.837	11.345	12.838	16.266
4	4.878	5.385	5.989	7.779	9.488	11.143	11.668	13.277	14.860	18.466
5	6.064	6.626	7.289	9.236	11.070	12.832	13.388	15.086	16.750	20.515
6	7.231	7.841	8.558	10.645	12.592	14.449	15.033	16.812	18.548	22.457
7	8.383	9.037	9.803	12.017	14.067	16.013	16.822	18.475	20.278	24.321
8	9.524	10.219	11.030	13.362	15.507	17.535	18.168	20.090	21.955	26.124
9	10.656	11.389	12.242	14.684	16.919	19.023	19.679	21.666	23.589	27.877
10	11.781	12.549	13.442	15.987	18.307	20.483	21.161	23.209	25.188	29.588
11	12.899	13.701	14.631	17.275	19.675	21.920	22.618	24.725	26.757	31.264
12	14.011	14.845	15.812	18.549	21.026	23.337	24.054	26.217	28.300	32.909
13	15.119	15.984	16.985	19.812	22.362	24.736	25.471	27.688	29.819	34.527
14	16.222	17.117	18.151	21.064	23.685	26.119	26.873	29.141	31.319	36.124
15	17.322	18.245	19.311	22.307	24.996	27.488	28.259	30.578	32.801	37.698
16	18.418	19.369	20.465	23.542	26.296	28.845	29.633	32.000	34.267	39.252
17	19.511	20.489	21.615	24.769	27.587	30.191	30.995	33.409	35.718	40.791
18	20.601	21.605	22.760	25.989	28.869	31.526	32.346	34.805	37.156	42.312
19	21.689	22.718	23.900	27.204	30.144	32.852	33.687	36.191	38.582	43.819
20	22.775	23.828	25.038	28.412	31.410	34.170	35.020	37.566	39.997	45.314
21	23.858	24.935	26.171	29.615	32.671	35.479	36.343	38.932	41.401	46.796
22	24.939	26.039	27.301	30.813	33.924	36.781	37.659	40.289	42.796	48.268
23	26.018	27.141	28.429	32.007	35.172	38.076	38.968	41.638	44.181	49.728
24	27.096	28.241	29.553	33.196	36.415	39.364	40.270	42.980	45.558	51.179
25	28.172	29.339	30.675	34.382	37.652	40.646	41.566	44.314	46.928	52.619
26	29.246	30.435	31.795	35.653	38.885	41.923	42.856	45.642	48.290	54.051
27	30.319	31.528	32.912	36.741	40.113	43.195	44.140	46.963	49.645	55.475
28	31.391	32.620	34.027	37.916	41.337	44.461	45.419	48.278	50.994	56.892
29	32.461	33.711	35.139	39.087	42.557	44.722	46.693	49.588	52.335	58.301
30	33.530	34.800	36.250	40.256	43.773	46.979	47.962	50.892	53.672	59.702
40	44.165	45.616	47.269	51.805	55.758	59.342	60.436	63.691	66.766	73.403
50	54.723	56.334	58.164	63.167	67.505	71.420	72.613	76.154	79.490	86.660
60	65.226	66.981	68.972	74.397	79.082	83.298	84.58	88.379	91.952	99.608




國立臺灣科技大學 109 學年度碩士班招生試題

系所組別：工業管理系碩士班甲組、乙組、丙組

科目：統計學

(總分為 100 分)

Table A.6 Critical Values of the F-Distribution



v_2	v_1								
	1	2	3	4	5	6	7	8	9
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
120	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88

Reproduced from Table 18 of *Biometrika Tables for Statisticians*, Vol. I, by permission of E.S. Pearson and the Biometrika Trustees.

Table A.6 (continued) Critical Values of the F-Distribution

v_2	v_1														
	10	12	15	20	24	30	40	60	120	∞					
1	241.88	243.91	245.95	248.01	249.05	250.10	251.14	252.20	253.25	254.31					
2	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50					
3	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53					
4	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63					
5	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36					
6	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67					
7	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23					
8	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93					
9	3.14	3.07	3.01	2.94	2.90	2.86	2.79	2.79	2.75	2.71					
10	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54					
11	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40					
12	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30					
13	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21					
14	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13					
15	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07					
16	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01					
17	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96					
18	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92					
19	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88					
20	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84					
21	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81					
22	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78					
23	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76					
24	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73					
25	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71					
26	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69					
27	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67					
28	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65					
29	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64					
30	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62					
40	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51					
60	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39					
120	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25					
∞	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00					

