國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

1. The mean and variance of the _____ distribution are the same. (5 points)
   a. Poisson
   b. Exponential
   c. Binomial
   d. Gamma

2. The *p*-value is a probability which offers a measure of the evidence for determining whether _____ should be rejected. (5 points)
   a. the alternative hypothesis
   b. the null hypothesis
   c. neither the null nor the alternative hypothesis
   d. either the null or the alternative hypothesis

3. The measure of variability which overcomes the dependency on the extreme data values is the _____. (5 points)
   a. median
   b. interquartile range
   c. range
   d. geometric mean

4. The sum of the probabilities of two complementary events is _____. (5 points)
   a. 1.0
   b. 0.5
   c. 0.25
   d. 0

5. Define $f(x) = bx^2$, $0 \leq x \leq 3$, and $f(x) = 0$, elsewhere.
   I. Please compute the value of b for which the function, $f(x)$, to be a valid probability density function (PDF). (5 points)
   II. Given that $f(x)$ is a valid PDF, find the probability when $0 \leq x \leq 1$. (5 points)

國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

6. Each employee in the NTUST Corporation was given a language test. Given that the test scores are normally distributed with a mean of 65 and a standard deviation of 8. A simple random sample of 16 is taken from the population of 10000.

I. What is the probability that the average language test in the sample ($\bar{x}$) will be greater than 68.92? (5 points)

II. What is the probability that the average language test in the sample ($\bar{x}$) will be between 62.64 and 67.36 ? (5 points)

第6題請查z分配表

7. The following data are from matched samples taken from two populations. (10 points)

Element	Population 1	Population 2
1	32	28
2	33	34
3	37	36
4	31	33
5	37	33
6	29	32
7	28	25

Considering the following hypothesis test (μ_d= the mean of the difference values for each element)

$$H_0: \mu_d = 0$$
$$H_a: \mu_d \neq 0$$

Use the p-value approach to conduct the hypothesis test by using $\alpha = 0.05$.
What is your conclusion?

第7題請查t分配表

國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

Z 分配表

Example:
If $z = 1.96$, then
$P(0 \text{ to } z) = 0.4750$.



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

t 分配表



Entries in the table give t values for an area or probability in the upper tail of the t distribution. For example, with 10 degrees of freedom and a .05 area in the upper tail, $t_{.05} = 1.812$.

Degrees of Freedom	Area in Upper Tail .20	.10	.05	.025	.01	.005
1	1.376	3.078	6.314	12.706	31.821	63.656
2	1.061	1.886	2.920	4.303	6.965	9.925
3	.978	1.638	2.353	3.182	4.541	5.841
4	.941	1.533	2.132	2.776	3.747	4.604
5	.920	1.476	2.015	2.571	3.365	4.032
6	.906	1.440	1.943	2.447	3.143	3.707
7	.896	1.415	1.895	2.365	2.998	3.499
8	.889	1.397	1.860	2.306	2.896	3.355
9	.883	1.383	1.833	2.262	2.821	3.250
10	.879	1.372	1.812	2.228	2.764	3.169
11	.876	1.363	1.796	2.201	2.718	3.106
12	.873	1.356	1.782	2.179	2.681	3.055
13	.870	1.350	1.771	2.160	2.650	3.012
14	.868	1.345	1.761	2.145	2.624	2.977
15	.866	1.341	1.753	2.131	2.602	2.947
16	.865	1.337	1.746	2.120	2.583	2.921
17	.863	1.333	1.740	2.110	2.567	2.898
18	.862	1.330	1.734	2.101	2.552	2.878
19	.861	1.328	1.729	2.093	2.539	2.861
20	.860	1.325	1.725	2.086	2.528	2.845
21	.859	1.323	1.721	2.080	2.518	2.831
22	.858	1.321	1.717	2.074	2.508	2.819
23	.858	1.319	1.714	2.069	2.500	2.807
24	.857	1.318	1.711	2.064	2.492	2.797
25	.856	1.316	1.708	2.060	2.485	2.787
26	.856	1.315	1.706	2.056	2.479	2.779
27	.855	1.314	1.703	2.052	2.473	2.771
28	.855	1.313	1.701	2.048	2.467	2.763
29	.854	1.311	1.699	2.045	2.462	2.756
30	.854	1.310	1.697	2.042	2.457	2.750
31	.853	1.309	1.696	2.040	2.453	2.744
32	.853	1.309	1.694	2.037	2.449	2.738
33	.853	1.308	1.692	2.035	2.445	2.733
34	.852	1.307	1.691	2.032	2.441	2.728

國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

8. A study investigated the autonomy development of 325 traditional-age female undergraduates using the Iowa Developing Autonomy Inventory (IDAI) and the Parental Attachment Questionnaire. The primary research questions were: Does autonomy vary by class year? Please answer the following questions based upon Table 1, 2, and F distribution table.

   I. Looking at Table 1,
   - **a.** Identify one significant finding regarding Time Management. (2 point)
   - **b.** State the null and alternate hypothesis. (2 point)
   - **c.** Compare F-critical and F-observed and F-Prob with alpha set by the authors and comment on what you find. (4 point)
   - **d.** Does Table 2 provide any additional context in understanding this finding, explain the additional insight. (2 point)

   II. Could the authors have used a t-test instead of an F-test (or ANOVA) to address these research questions? Why or Why not? (10 points)

TABLE 1.

Analyses of Variance of IDAI Subscales by Class Level

Source	*df*	Sum of Squares	Mean Squares	*F* Ration	*F* Prob
Time Management					
Between Groups	3	1005.04	335.02	3.87	.01
Within Groups	321	27807.88	86.63		
Total	324				
Money Management					
Between Groups	3	1797.97	599.32	6.45	.00
Within Groups	321	29836.91	92.95		
Total	324				
Emotional Independence- Peers					
Between Groups	3	641.83	213.94	3.14	.03
Within Groups	321	21905.32	68.24		
Total	324				
Interdependence					
Between Groups	3	174.81	58.27	1.33	.26
Within Groups	321	14073.76	43.84		
Total	324				
Emotional Independence- Parents					
Between Groups	3	110.66	36.88	0.43	.73
Within Groups	321	27627.04	86.06		
Total	324				
Mobility					
Between Groups	3	339.02	113.00	1.22	.30
Within Groups	321	29866.14	93.04		
Total	324				

國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

TABLE 2.

Scores on Entire Iowa Developing Autonomy Inventory (IDAI) Autonomy Scale and Time Management, Money Management, and Emotional Independence-Peers Subscales by Class Level (N = 325)

	Autonomy (Entire IDAI Scale)		*Time Mgmnt Subscale*		*Money Mgmnt Subscale*		*Emotional Ind.-Peers Subscale*	
Class Level	Mean	*SD*	Mean	*SD*	Mean	*SD*	Mean	*SD*
First-year (n = 61)	310.02	35.15	51.56	10.61	48.72	8.54	51.31	8.11
Sophomore (n = 75)	320.48	31.53	52.48	7.96	51.09	10.30	54.97	8.09
Junior (n = 91)	317.66	35.78	53.10	10.05	52.65	9.20	52.82	8.87
Senior (n = 98)	329.57	32.64	56.14	8.65	55.33	10.15	54.74	7.89

F - Distribution (α = 0.05 in the Right Tail)

df_2 \ df_1	Numerator Degrees of Freedom								
Denominator Degrees of Freedom	1	2	3	4	5	6	7	8	9
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54
2	18.513	19.000	19.164	19.247	19.296	19.330	19.353	19.371	19.385
3	10.128	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123
4	7.7086	9.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.0410	6.9988
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.0990
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2296	3.1789
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8962
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876
16	4.4940	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377
17	4.4513	3.5915	3.1968	2.9647	2.8100	2.6987	2.6143	2.5480	2.4943
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.5990	2.5140	2.4471	2.3928
21	4.3248	3.4668	3.0725	2.8401	2.6848	2.5727	2.4876	2.4205	2.3660
22	4.3009	3.4434	3.0491	2.8167	2.6613	2.5491	2.4638	2.3965	2.3419
23	4.2793	3.4221	3.0280	2.7955	2.6400	2.5277	2.4422	2.3748	2.3201
24	4.2597	3.4028	3.0088	2.7763	2.6207	2.5082	2.4226	2.3551	2.3002
25	4.2417	3.3852	2.9912	2.7587	2.6030	2.4904	2.4047	2.3371	2.2821
26	4.2252	3.3690	2.9752	2.7426	2.5868	2.4741	2.3883	2.3205	2.2655
27	4.2100	3.3541	2.9604	2.7278	2.5719	2.4591	2.3732	2.3053	2.2501
28	4.1960	3.3404	2.9467	2.7141	2.5581	2.4453	2.3593	2.2913	2.2360
29	4.1830	3.3277	2.9340	2.7014	2.5454	2.4324	2.3463	2.2783	2.2229
30	4.1709	3.3158	2.9223	2.6896	2.5336	2.4205	2.3343	2.2662	2.2107
40	4.0847	3.2317	2.8387	2.6060	2.4495	2.3359	2.2490	2.1802	2.1240
60	4.0012	3.1504	2.7581	2.5252	2.3683	2.2541	2.1665	2.0970	2.0401
120	3.9201	3.0718	2.6802	2.4472	2.2899	2.1750	2.0868	2.0164	1.9588
∞	3.8415	2.9957	2.6049	2.3719	2.2141	2.0986	2.0096	1.9384	1.8799

國立臺灣科技大學 110 學年度碩士班招生試題

系所組別：企業管理系碩士班

科　　目：統計學

(總分為 100 分)

9. What is a false positive in Coronavirus testing?
   I. Please explain what is false positive (偽陽性/假陽性) in terms of coronavirus testing (6 points)
   II. Create a two by two table (2×2, four cells) including False positive and other three testing results (12 points)
   III. Identify alpha, beta, and power in the figure below. (6 points)
   IV. Explain what is alpha? beta? power? in hypothesis testing. (6 points)